

Jon Brier

From: Claire Tomalin - Principal Planning Officer <Claire.Tomalin@essex.gov.uk>
Sent: 04 October 2021 17:45
To: Christopher Lecointe
Cc: Jon Brier
Subject: RE: Rivenhall
Attachments: Summary of reps to 4 Oct.docx

CAUTION: This email originated from outside of RPS.

Dear Mr Lecointe

As mentioned previously, it is likely the submission in relation to condition 66 will be determined by the Development & Regulation Committee.

Representations are not viewable via our web planning system. I attach a document that includes the text of comments which have been received from several representees and also extracts of all other comments received to date. Responses from consultees as opposed to representees are made public on the web and can be viewed using the reference ESS/34/15/BTE/66/01 at the following link.

<https://planning.essex.gov.uk/disclaimer.aspx?returnURL=%2f>

Consideration of compliance with the IWMF planning permission will need to form part of the consideration of the determination of condition 66, as a result of comments made in representations/consultation responses. Therefore at this stage it is not felt appropriate to meet to discuss the interpretation of condition 2, until after determination of condition 66.

Regards

Claire Tomalin BSc (Hons), MA, MRTPI
Principal Planning Officer – Minerals & Waste
Planning Service
Place and Public Health

Mobile 07887 662163
Telephone: 03330 136821
Email: claire.tomalin@essex.gov.uk www.essex.gov.uk
Essex County Council, County Hall, Chelmsford, Essex, CM1 1QH

ECC Planning Service is working remotely, away from the office. This means staff are working flexibly throughout the day around caring responsibilities.

From: Christopher Lecointe <LecointeC@rpsgroup.com>
Sent: 30 September 2021 11:28
To: Claire Tomalin - Principal Planning Officer <Claire.Tomalin@essex.gov.uk>
Cc: Jon Brier <Jon.Brier@rpsgroup.com>
Subject: Rivenhall

CAUTION: This is an external email.

Claire,

Following our meeting last week are you available/ready for a follow up call to discuss Condition 2 interpretation and any update on condition 66?


Regards

Christopher Lecointe

Director of Environmental Planning
RPS | Consulting UK & Ireland
20 Western Avenue
Milton Park
Abingdon, Oxfordshire OX14 4SH, United Kingdom
T +44 1235 821 888
D +44 1235 838 216 **M** +44 7778 207033
E lecointec@rpsgroup.com



Follow us on: rpsgroup.com | [LinkedIn](#) | [Facebook](#) | [Instagram](#) | [YouTube](#)



This e-mail message and any attached file is the property of the sender and is sent in confidence to the addressee only.

Internet communications are not secure and RPS is not responsible for their abuse by third parties, any alteration or corruption in transmission or for any loss or damage caused by a virus or by any other means.

RPS Group Plc, company number: 208 7786 (England). Registered office: 20 Western Avenue Milton Park Abingdon Oxfordshire OX14 4SH.

RPS Group Plc web link: <http://www.rpsgroup.com>