



IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROPRIATE METHOD STATEMENT.

THIS DRAWING IS TO BE USED ONLY FOR THE PURPOSE OF ISSUE THAT IT WAS ISSUED FOR.


- NOTES:
1. ALL LEVELS SHOWN IN METRES ABOVE ORDNANCE DATUM (AOD) UNLESS OTHERWISE STATED.
 2. REFER TO DRAINAGE LAYOUTS FOR INVERT AND COVER LEVELS.




COMBINED SW AND SUB-BASE FILTER DRAIN (WITHIN INTERNAL VERGE STRIP)



Nominal diameter of pipe (mm)	Maximum Effective length (mm)
150 - 600	600
675 - 750	1000
over 750	1250



BRIDGE DECK COMBINED KERB & DRAINAGE CHANNEL 'FASTFLOW' HALF BATTERED 450 UNIT ILLUSTRATED (NOT TO SCALE)



COMBINED SURFACE WATER AND SUB-BASE FILTER DRAIN OPTIONS

Planning Submission	By JB	Check GP	Date 17/09/21	Suffix P01
REVISION DETAILS	By	Check	Date	Suffix

Purpose of issue: **SUITABLE FOR INFORMATION**

Client: **OXFORDSHIRE COUNTY COUNCIL**

Project Title: **DIDCOT GARDEN TOWN HIF 1 SCHEMES PRELIMINARY DESIGN**

Drawing Title: **DRAINAGE TYPICAL DETAILS SHEET 4 OF 5**

Designed VD	Drawn JB	Checked ART	Approved GP	Date 27/06/23
Internal Project No. 60632497	Suitability S2	Scale @ A1 1:20		
Discipline Town & Country Planner		THIS DOCUMENT HAS BEEN PREPARED PURSUANT TO AND SUBJECT TO THE TERMS OF AECOM'S APPOINTMENT BY ITS CLIENT. AECOM ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING AECOM'S EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.		

AECOM
AECOM House
Home Lane
Bedford
MK40 1TS
Tel: +44 (0)1234 329 641
www.aecom.com

AECOM
AECOM Infrastructure & Environment UK Limited
Registered in England Registered number: 880328
Registered office: Midpoint, Alencon Link,
Basingstoke, Hampshire RG21 7PP

Drawing Number	Work Package ID	Volume	Type	Number	Rev
GEN_PD_ACM_HDG_DGT_DRG_ZZ_7ZE_T_0004					P02
Originator	Location	Role			

